



Apt PackTM

Complete Packing Solutions



**TOTAL
STRAPPING
SOLUTIONS**

PP / PET STRAPPING

STEEL STRAPPING

STEEL STRAPPING CUTTER

COMPOSITE / CORD STRAPPING

CARDBOARD EDGE PROTECTOR CUTTER

STRAP DISPENSERS

CARGO LASHING BELTS & BUCKELS

Apt Tools & Machinery India Pvt Ltd.,

An ISO 9001:2015 Certified Company

BATTERY OPERATED PET STRAPPING TOOL
 (Semi Automatic Type)

Strap type : PP/PET
 Strap size(width) : 13/16mm
 Strap size (thickness) : 0.5mm-1.05mm
 Min tension : 600n
 Max tension : 2200n
 Tension speed : 12m/minute
 Sealing :Friction weld
 Joint strength : 80% of breaking strength
 Battery type : Li-po 14.8v-2ah
 Full charging time : 40 minutes
 No.of sealings per charge :200 joints
 Battery life time : 2000 cycles
 Tool weight(with battery) : 3.8kg
 Tool dimension(lbh) : 290x140x165

MADE IN ITALY



ITI 20

BATTERY OPERATED PET STRAPPING TOOL
 (Automatic Type)

Strap type : PP/PET
 Strap size(width) : 13/16mm
 Strap size (thickness) : 0.5mm-1.05mm
 Min tension : 300n
 Max tension : 2500n
 Tension speed : 16m/minute
 Sealing :friction weld
 Joint strength : 80% of breaking strength
 Battery type : li-po 14.8v-2ah
 Full charging time : 40 minutes
 No.of Sealings per charge :200 joints
 Battery life time : 2000 cycles
 Tool weight(with battery) : 3.9kg
 Tool dimension(lbh) : 300x150x160

MADE IN ITALY



ITI 24

BATTERY OPERATED PET STRAPPING TOOL
 (Automatic Type)

Strap type : PP/PET
 Strap size(width) : 16/19mm
 Strap size (thickness) : 0.7mm-1.3mm
 Min tension : 500n
 Max tension : 5500n
 Tension speed : 12m/minute
 Sealing : Friction weld
 Joint strength:80% of breaking strength
 Battery type : Li-po 14.8v-2ah
 Full charging time : 40 minutes
 No. of sealings per charge : 200 joints
 Battery life time : 2000 cycles
 Tool weight(with battery) : 4.1kg
 Tool dimension(lbh) : 300x150x160

MADE IN ITALY



ITI 25

BATTERY OPERATED PET STRAPPING TOOL
 (Semi Automatic Type)

Strap type : PP/PET
 Strap size(width) : 13/16/19mm
 Strap size (thickness) : 0.6mm-1.05mm
 Min tension : 650n
 Max tension : 3000n
 Tension speed : 13m/minute
 Sealing :Friction weld
 Joint strength : 80% of breaking strength
 Battery type :Nimh 12v-2.4ah
 Full charging time : 60 minutes
 No.of sealings per charge : 100-200 joints
 Battery life time : 2000 cycles
 Tool weight(with battery) : 3.9kg
 Tool dimension(lbh) : 370x140x130mm

MADE IN CHINA



APT PACK DD160/DD 190

PNEUMATIC PET STRAPPING TENSIONER & SEALER
 (Semi Automatic Type)

Strap type : PP/PET
 Strap size(width) : 13/16/19mm
 Strap size (thickness) : 0.5mm-1.27mm
 Min tension : N/a
 Max tension : 3500n
 Tension speed : 2m/min
 Sealing : Friction weld
 Sealing time : 2-5s
 Joint strength : 75% strap strength
 Tool weight : 3.8kg
 Tool dimension(lbh):280x160x180mm
 Air consumption :0.3l/min
 Air pressure :5-8bar

MADE IN CHINA



APT PACK AQD 19

PNEUMATIC PET STRAPPING TENSIONER & SEALER
 (Semi Automatic Type)

Strap type : PP/PET
 Strap size(width) : 19/25mm
 Strap size (thickness) : 0.5mm-1.4mm
 Min tension : N/a
 Max tension : 3500n
 Tension speed : 2m/min
 Sealing : Friction weld
 Sealing time : 2-5s
 Joint strength : 75% strap strength
 Tool weight : 3.8kg
 Tool dimension(lbh):280x160x180mm
 Air consumption :0.3l/min
 Air pressure :5-8bar

MADE IN CHINA



APT PACK AQD 25

PNEUMATIC PET STRAPPING TENSIONER & SEALER
 (Semi Automatic Type)

Strap type : PET
 Strap size(width) : 19mm
 Strap size (thickness): 1mm-1.4mm
 Min tension : N/a
 Max tension : 6000n
 Tension speed : 4m/minute
 Sealing :Friction weld
 Sealing time : 2-5s
 Joint strength : 75% strap strength
 Tool weight : 5.1kg
 Tool dimension(lbh) : 300x150x175mm
 Air pressure : 4.5-7bar

MADE IN ITALY



ITI 12

PNEUMATIC PET STRAPPING TENSIONER & SEALER
 (Semi Automatic Type)

Strap type : PET
 Strap size(width) : 25/32mm
 Strap size (thickness) : 0.8-1.27mm
 Max tension : 6000n
 Tension speed : 4-6m/min
 Sealing : Friction weld
 Tool weight : 5.8kg
 Tool dimension(lbh):280x150x175mm
 Air consumption:14l/s-29cuft/min
 Air pressure : 6-7bar(87-99psi)

MADE IN ITALY



ITI 14

PNEUMATIC PET STRAPPING SEALER

Strap type : PET /PP
 Strap size : (width)16/19/25/32mm
 Strap size (thickness) : 0.4-1.4mm
 Max tension : N/a
 Tension speed : N/a
 Sealing : Friction weld
 Tool weight : 2.6kg
 Tool dimension(lbh) : 250x130x120mm
 Air consumption : 14l/s-29cuft/min
 Air pressure : 5.5-7bar(78-99psi)

MADE IN ITALY



ITI 18

PNEUMATIC PET STRAPPING SEALER

Strap type : PP/PET
 Strap size(width) : 13/16/19mm
 Strap size (thickness) : 0.5mm-1.05mm
 Min tension : N/a
 Max tension : N/a
 Tension speed : N/a
 Sealing : Friction weld
 Sealing time : 2-5s
 Joint strength : 75% strap strength
 Tool weight : 3.5kg
 Tool dimension(lbh) : 280x160x180mm
 Air consumption0.002cuft/min
 Air pressure5-8bar

MADE IN CHINA



APT PACK RJ 250

MANUAL PET STRAP TENSIONER

Strap type : PP/PET
 Strap size(width) : 13/16/19mm
 Strap size (thickness) :0.6-1.0mm
 Tool weight : 1.4Kg

Made in Taiwan



APT PACK P 330

MANUAL PET STRAP SEALER

Strap : PP/PET
 Strap size width : 13/16/19 mm
 Strap size (thickness) : 0.7/1/1.27 mm
 Seal type : Offset crimping
 Tool weight : 1.6Kg

Made in Taiwan



APT PACK C5004/5005/5006

CORD STRAP TENSIONER
 (Manual)

Strap type : Cord strap/lashing belt
 Strap size(width) : 13-32mm
 Strap size (thickness) :0.6-1.4mm
 Weight : 2.3 Kgs

Made in Taiwan



APT PACK P472&475

CORD STRAP TENSIONER
 (Manual)

Strap type : Cord strap/lashing belt
 Strap size(width) : 25-50mm
 Strap size (thickness) : 0.6-1.4mm
 Tool Weight : 2 Kgs

Made in Taiwan



APT PACK P482

CORD STRAP TENSIONER
 (Manual)

Strap type : Cord strap/lashing belt
 Strap size(width) : 25-50mm
 Strap size (thickness) : 0.6-1.4mm

Made in Taiwan



APT PACK PH 350

CORD STRAP TENSIONER - PNEUMATIC
(Semi Automatic)



Strap type : Cord strap
Strap size (width) : Up to 40mm
Strap size (thickness) : 0.6-1.4mm
Max tension : 9800n
Tension speed : 4-6m/min
Sealing : Buckle
Tool weight : 5kg
Tool dimension (lbh) : 350x120x160
Air consumption : 12l/s-25cuft/min
Air pressure : 5-8bar



APT PACK PA475

Made in Taiwan

CORD STRAP TENSIONER
(Manual)



Strap type : Cord strap
Strap size (width) : Up to 40mm
Strap size (thickness) : 0.6mm-1.4mm
Max tension : 15000n
Tension speed : 6m/min
Sealing : Buckle
Tool weight : 4.8kgs
Tool dimension (lbh) : 320x120x160mm
Air consumption : 12l/s-25cuft/min
Air pressure : 5.5-7bar (78-99psi)



ITI 70

MADE IN ITALY

CARDBOARD EDGE PROTECTOR CUTTER



It cuts edge Protector max. 100 x 100 x 10 mm
Ruler with max. 50 cm scale include



AC 123

PNEUMATIC STEEL STRAP COMBINATION TOOL



Drive : Pneumatic
Packaging Type : Flat / Round Surface
Strap Type : Steel
Strap size : 13/19 mm
Strap thickness : 0.3mm -0.6 mm
Max. Tension : 4500N
Tool Weight : 4.9 kg
Air pressure : 4-5.6 bar



APT PACK SA 106

Made in Taiwan

PNEUMATIC STEEL STRAP TENSIONER & SEALER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 19mm
Strap size (thickness) : 0.4mm-0.8mm-rd
0.4mm-0.63mm-high tensile
Min tension : N/A
Max tension : 7500n
Tension speed : 4m- 6m/min
Sealing type , seal : Single notch, 34pnc
Joint strength : 80% of strap
Tool weight : 4kg
Tool dimension (lbh) : 350x140x170mm
Air consumption : 12l/s-25cuft/min
Air pressure : 5.5-7bar (78-99psi)

MADE IN ITALY



ITI 40

PNEUMATIC STEEL STRAP TENSIONER & SEALER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 32mm
Strap size (thickness) : 0.6-1.0mm-rd
0.6-0.8mm-high tensile
Min tension : 9000n
Max tension : 15000n
Tension speed : 4-5m/min
Sealing type , seal : Double notch, 114p
Joint strength : 80% of strap
Tool weight : 10.3kg
Tool dimension (lbh) : 430x260x310mm
Air consumption : 12l/s-25cuft/min
Air pressure : 5.5-7bar (78-99psi)

MADE IN ITALY



ITI 41/42

PNEUMATIC STEEL STRAP TENSIONER & SEALER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 32mm
Strap size (thickness) : 0.6-1.0mm-rd
0.6-0.8mm-high tensile
Min tension : 9000n
Max tension : 15000n
Tension speed : 4-5m/min
Sealing type , seal : Double notch, 114p
Joint strength : 80% of strap
Tool weight : 11.3kg
Tool dimension (lbh) : 430x260x310mm
Air consumption : 12l/s-25cuft/min
Air pressure : 5.5-7bar (78-99psi)



ITI 51/52 (UP CUT JOINT)
ITI 61/62 (LOW PRESSURE)

MADE IN ITALY

PNEUMATIC STEEL STRAP TENSIONER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6mm-1.1mm
Max tension : 15000n
Tension speed : 4-6m/min
Sealing , seal : N/A
Joint strength : 80% of breaking strength
Tool weight : 4.3kg
Tool dimension (lbh) : 340x115x90mm
230x115x270mm
Air pressure : 5.5-7bar (78-99psi)

MADE IN ITALY



ITI 44/44SP

PNEUMATIC STEEL STRAP SEALER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.0mm -rd
0.6mm-0.9mm-ht
Max tension : N/A
Tension speed : N/A
Sealing , seal : Single notch, 114p/34hoc
Joint strength : 80% of breaking strength
Tool weight : 2.9kg
Tool dimension (lbh) : 320x140x180mm
Air pressure : 5.5-7bar (78-99psi)

MADE IN ITALY



ITI 45

BATTERY OPERATED STEEL STRAP TENSIONER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.0mm -rd
0.6mm-0.9mm-ht
Max tension : 13000n
Tension speed : 3m/min
Sealing , seal : N/A
Joint strength : 80% of breaking strength
Tool weight : 4.7kg
Tool dimension (lbh) : 395x120x130mm



ITI 84

MADE IN ITALY

BATTERY OPERATED STEEL STRAP SEALER
(Semi Automatic Type)



Strap type : Steel strap
Strap size (width) : 32mm
Strap size (thickness) : 0.6-1.0mm -rd
0.6mm-0.9mm-ht
Max tension : N/A
Tension speed : N/A
Sealing , seal : Double notch, 114p/34hoc
Joint strength : 80% of breaking strength
Tool weight : 4.5kg
Tool dimension (lbh) : 350x100x260mm

MADE IN ITALY



ITI 85

PNEUMATIC STEEL STRAP TENSIONER & SEALER
(Semi Automatic Type)

Strap type : Steel strap
Strap size (width) : 32mm
Strap size (thickness) : 0.8-1.2mm
Max tension : 9800n
Sealing and seal : Double notch, 114p
Joint strength : 80% of strap
Tool weight : 15kg
Tool dimension (lbh) : 350x140x260mm
Air pressure : 4-6bar

MADE IN CHINA



APT PACK PCST32G

PNEUMATIC STEEL STRAP TENSIONER
(Semi Automatic Type)

Strap type : Steel strap
Strap size (width) : 32mm
Strap size (thickness) : 0.8-1.2mm
Max tension : 9800n
Sealing and seal : N/A
Joint strength : N/A
Tool weight : 4.8kg
Tool dimension (lbh) : 350x140x260mm
Air pressure : 4-6bar



APT PACK PSTTR19/32G

MADE IN CHINA

PNEUMATIC STEEL STRAP SEALER
(Semi Automatic Type)

Strap type : Steel strap
Strap size (width) : 19/ 32mm
Strap size (thickness) : 0.8-1.2mm
Max tension : N/A
Sealing and seal : Single notch, 34hoc
Joint strength : 80% of strap
Tool weight : 3.2kg
Air pressure : 4-6bar

MADE IN CHINA



APT PACK PSS-19/32G

STEEL STRAP COMBINATION TOOL
(Manual - Heavy Duty - Steel Body)



Strap type : Steel strap
Strap size (width) : 12/16/19mm
Strap size (thickness) : 0.45-0.7mm-rd
0.45-0.63mm-ht
Max tension : 6000n
Seal type : Sealless type
Joint strength : 80% of strap
Seal type : Sealless
Tool weight : 4.4kg
Tool dimension (lbh) : 350x140x260

MADE IN ITALY



ITI 30

STEEL STRAP COMBINATION TOOL 

Type : Sealless type combination
Drive : Manual
Strap type : Steel strap
Strap size (width) : 12/16/19mm
Strap size (thickness) : 0.38-0.6mm
Seal type : Sealless type
Joint strength : 80% of strap
Seal type : Sealless
Tool weight : 3.9kg
Tool dimension (lbh) : 400x100x330mm



APT PACK
SL200 / ST 32

Made in Taiwan

STEEL STRAP COMBINATION TOOL
(Economy)

Type : Sealless type combination
Drive : Manual
Strap type : Steel strap
Strap size (width) : 12/16/19mm
Strap size (thickness) : 0.38-0.6mm
Seal type : Sealless type
Joint strength : 80% of strap
Seal type : Sealless
Tool weight : 3.9kg
Tool dimension (lbh) : 387x168x308mm



APT PACK
A333

Made in Taiwan

STEEL STRAP COMBINATION TOOL
(Manual -Heavy Duty- Steel Body-with Seal)

Type : Pusher type with seal
Drive : Manual
Strap type : Steel strap
Strap size (width) : 19mm only
Strap size (thickness) : 0.38-0.6mm
Seal type : With seal type
Joint strength : 80% of strap
Seal type : 34pns (close type)
Tool weight : 3.5kg
Tool dimension (lbh) : 400x100x330mm



APT PACK
ST 36


Made in Taiwan

STEEL STRAP TENSIONER
(Manual Heavy Duty- Steel Body)

Type : Tensioner (pusher feed wheel)
Drive : Manual
Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.0mm
Tool weight : 4Kgs



APT PACK
S249



APT PACK
S259

Made in Taiwan

STEEL STRAP TENSIONER 

Type : Tensioner (rack & pinion)
Drive : Manual
Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.0mm
Tool weight : 2.5Kgs



APT PACK
S227

Made in Taiwan

STEEL STRAP TENSIONER 

Type : Tensioner (feed wheel)
Drive : Manual
Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.0mm
Tool weight : 2.9 Kgs



APT PACK
S298

Made in Taiwan

STEEL STRAP TENSIONER 

Type : Tensioner (windlass)
Drive : Manual
Strap type : Steel strap
Strap size (width) : 19/32mm
Strap size (thickness) : 0.6-1.1mm
Tool weight : 3.1 Kgs



APT PACK
S300

Made in Taiwan

STEEL STRAP CUTTER 

Type : Cutter (carbon steel drop forged)
Strap type : Steel
Cutting size : 32x0.9mm
Tool weight : 0.89 Kg



APT PACK
H200

Type : Cutter (carbon steel drop forged)
Strap type : Steel
Cutting size : 50x0.9mm
Tool weight : 1 Kg



APT PACK
H300

Made in Taiwan

STEEL STRAP CUTTER 

Type : Cutter (SAE 4140 high carbon steel drop forged)
Strap type : Steel
Cutting size : 50x1.27mm
Weight : 1 Kg



APT PACK
H305

Type : Cutter (high carbon steel drop forged)
Strap type : Steel
Cutting size : 50x1.27mm
Weight : 1.2 Kgs



APT PACK
H410

Made in Taiwan

STEEL STRAP SEALER
(Manual Heavy Duty- Steel Body)

Type : Sealer
Drive : Manual
Strap : Steel strap
Strap size : 19/32mm, (0.6-1.0mm)
Seal type : Double notched
Tool weight : 3 Kgs



APT PACK
C3160/C3180

Made in Taiwan

PET / STEEL STRAP DISPENSER 

Type : Dispenser
Strap type : Pet/steel
Strap width : Upto 19 mm
Weight of strap : Up to 60kg
Wound type : Oscilated /multi wound



APT PACK
CA500HS

Made in Taiwan

STEEL STRAP DISPENSER

Type : Dispenser
Strap type : steel
Strap width : Upto 32 mm
Weight of strap : Up to 60kg
Wound type : Ribbon/single wound



APT PACK
SSB32

CONSUMABLES



ACCESSORIES



Apt Tools & Machinery India Pvt Ltd.,



Head Office : 4/226-A, ChinnaQuili Road, Kallapalayam Village Post, Coimbatore-641 201, Tamilnadu, India.

+91 96009 54151 / 97900 16774 / 95009 54151
www.aptpack.com / www.apttechnologies.in

info@apptools.in / sales@apptools.in
Apt Tools & Machinery

Chennai Branch:
No.563, George Rathnam Road,
G.G Nagar, Nerukundaram, Chennai - 600 107

Bangalore Branch:
No.41, Doddanna industrial Estate Main Road,
Peenya 2 nd Stage, Hegganahalli, Bangalore - 560 090

Erode Branch:
No.39,39/1, Neeladhari Complex,
Kovalan Street, Erode - 638 001.

Hosur Branch:
Shop No 3&4, Vinayaka Complex,
Bangalore Road, Hosur - 635 109

Coimbatore City Office :
No.8, 1st Floor, Uppilipalayam
Main Road, Sowripalayam,
Coimbatore - 641 028

Product Enquiry:
+91 82200 14427 / 97900 16774

Product Enquiry:
+91 95357 49883 / 96009 54151

Product Enquiry:
+91 97900 16774 / 95009 54151

Product Enquiry:
+91 77088 29346 / 96009 54151

Product Enquiry:
+91 9600954151 / 9790016774

Hyderabad : +91 95855 00637 / 96009 54151