



**Apt Tools & Machinery India Pvt. Ltd.**

*An ISO 9001:2015 Certified Company*



**NETO IM003-A1**

1/4"  
Impact Wrench  
(Roller Clutch)



Free Speed : 10,000 rpm  
Max. Torque : 81 Nm  
Bolt Capacity : 10 mm  
Net Weight : 0.88kg

**NETO IK107-A1**

3/8"  
Impact Wrench  
(One Hammer) Butterfly type



Free Speed : 11,000 rpm  
Max. Torque : 102 Nm  
Bolt Capacity : 10 mm  
Net Weight : 0.82kg

**NETO IT114-A1**

3/8"  
Impact Wrench  
(Twin Hammer)



Free Speed : 10,000 rpm  
Max. Torque : 271 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.44 kg

**NETO IT124T-B1**

3/8"  
Impact Wrench  
(Twin Hammer)



Free Speed : 9,000 rpm  
Max. Torque : 406 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.23 kg

**NETO IT127-A1**

3/8"  
Impact Wrench  
(Twin Hammer)



Free Speed : 9,500 rpm  
Max. Torque : 513 Nm  
Bolt Capacity : 14 mm  
Net Weight : 1.31 kg

**NETO 301LB90**

3/8"  
Impact Wrench  
(Two Hammer)



Free Speed : 9,000 rpm  
Max. Torque : 40 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.22 kg

**NETO 306B**

3/8"  
Impact Wrench  
(Two Hammer)



Free Speed : 8,000 rpm  
Max. Torque : 200 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.07 kg

**NETO 308DW**

1/2"  
Impact Wrench  
(Jumbo Hammer)



Free Speed : 8,100 rpm  
Max. Torque : 200 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.32 kg

**NETO 601D**

1/2"  
Impact Wrench  
(Jumbo Hammer)  
Double Trigger



Free Speed : 8,500 rpm  
Max. Torque : 270 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.54 kg

**NETO IT 270-A1**

1/2"  
Impact Wrench  
(Twin Hammer)



Free Speed : 7,100 rpm  
Max. Torque : 922 Nm  
Bolt Capacity : 16 mm  
Net Weight : 2.50 kg

**NETO IT214-A1**

1/2"  
Impact Wrench  
(Twin Hammer)



Free Speed : 10,000 rpm  
Max. Torque : 515 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.45 kg

**NETO IT241-B1**

1/2"  
Impact Wrench  
(Twin Hammer)



Free Speed : 8,000 rpm  
Max. Torque : 623 Nm  
Bolt Capacity : 16 mm  
Net Weight : 2.63 kg

**NETO IT260T-A1**

1/2"  
Impact Wrench  
(Twin Hammer)



Free Speed : 7,500 rpm  
Max. Torque : 928 Nm  
Bolt Capacity : 16 mm  
Net Weight : 1.94 kg

**NETO IT3110-A1**

3/4"  
Impact Wrench  
(Twin Hammer)



Free Speed : 5,500 rpm  
Max. Torque : 1490 Nm  
Bolt Capacity : 30 mm  
Net Weight : 5.72 kg

**NETO IT3125-A1**

3/4"  
Impact Wrench  
(Twin Hammer)



Free Speed : 5,750 rpm  
Max. Torque : 1626 Nm  
Bolt Capacity : 32 mm  
Net Weight : 3.15 kg

**NETO IK4185-A1**

1"  
Impact Wrench  
(Pinless)



Free Speed : 4,800 rpm  
Max. Torque : 2500 Nm  
Bolt Capacity : 33 mm  
Net Weight : 10.20 kg

**NETO IT4165-A1-6**

1"  
Impact Wrench  
(Twin Hammer)



Free Speed : 4,500 rpm  
Max. Torque : 2169 Nm  
Bolt Capacity : 33 mm  
Net Weight : 10.80 kg

**NETO IK4200-A1-6**

1"  
Impact Wrench  
(Pinless)



Free Speed : 5,000 rpm  
Max. Torque : 2700 Nm  
Bolt Capacity : 33 mm  
Net Weight : 12.20 kg

**NETO IK5250-A1**

1-1/2"  
Impact Wrench  
(Pinless)



Free Speed : 4,000 rpm  
Max. Torque : 3390 Nm  
Bolt Capacity : 50 mm  
Net Weight : 14.3 kg

**NETO 5SLB03**

3/8" Angle Impact  
Impact Wrench  
(Shut off type)



Free Speed : 380 rpm  
Max. Torque : 4~10 Nm  
Bolt Capacity : 13mm  
Net Weight : 1.3 kg

**NETO RP003-B1**

1/4"  
Ratchet Wrench  
(Stubby)



Free Speed : 280 rpm  
Max. Torque : 40 Nm  
Bolt Capacity : 10 mm  
Net Weight : 0.63 kg

**NETO RP102-A1**

3/8"  
Ratchet Wrench  
(Stubby)



Free Speed : 300 rpm  
Max. Torque : 34 Nm  
Bolt Capacity : 5.08 mm  
Net Weight : 0.49 kg

**NETO RP107-A1**

3/8"  
Ratchet Wrench



Free Speed : 160 rpm  
Max. Torque : 95 Nm  
Bolt Capacity : 10 mm  
Net Weight : 1.30 kg

**NETO RP207-A1**

1/2"  
Ratchet Wrench



Free Speed : 160 rpm  
Max. Torque : 95 Nm  
Bolt Capacity : 13 mm  
Net Weight : 1.30 kg

**NETO OS155S**

Dual Action  
Sander  
(5mm orbit)



Pad Size : 5"  
Min. Hose Size ID : 8 mm  
Free Speed : 12,000 rpm  
Net Weight : 0.6kg

**NETO OS196S**

Dual Action  
Sander  
(10mm orbit)



Pad Size : 6"  
Min. Hose Size ID : 8 mm  
Free Speed : 12,000 rpm  
Net Weight : 0.6kg

**NETO PS008E-A1**

Screw Driver  
(Pistol/Clutch)



Hex Drive : 1/4"  
Free Speed : 550 rpm  
Max. Torque : 5~12 Nm  
Net Weight : 1.28 kg

**NETO 5C1515**

Screw Driver  
(Straight/Clutch)



Hex Drive : 1/4"  
Free Speed : 1450 rpm  
Max. Torque : 5 Nm  
Net Weight : 0.97 kg

**NETO 5C5415**

Screw Driver  
(Pistol/Clutch)



Hex Drive : 1/4"  
Free Speed : 1450 rpm  
Max. Torque : 5 Nm  
Net Weight : 1 kg

**NETO 301-A1**

Screw Driver  
(Two Hammer)



Hex Drive : 1/4"  
Free Speed : 12,000 rpm  
Max. Torque : 25 Nm  
Net Weight : 0.7 kg



**NETO 310F**

Screw Driver  
(Two Hammer)



Hex Drive : 1/4"  
Free Speed : 8000 rpm  
Max. Torque : 240 Nm  
Net Weight : 1.6 kg

**NETO 601 DA**

Screw Driver  
(Twin Hammer)  
Double Trigger



Hex Drive : 1/4"  
Free Speed : 8,500 rpm  
Max. Torque : 270 Nm  
Net Weight : 1.54 kg

**NETO 409WA1**

Screw Driver  
(Twin Hammer)



Hex Drive : 1/4"  
Free Speed : 8,500 rpm  
Max. Torque : 270 Nm  
Net Weight : 1.3 kg

**NETO ISD003**

Screw Driver  
(Roller Clutch)



Hex Drive : 1/4"  
Free Speed : 12,000 rpm  
Max. Torque : 81 Nm  
Net Weight : 0.91 kg

**NETO T50PB**

Auto Shut Off  
Screw Driver  
(Push Start)



Hex Drive : 1/4"  
Free Speed : 1400 rpm  
Max. Torque : 0.65~4.9 Nm  
Net Weight : 0.77 kg

**NETO T60PB**

Auto Shut Off  
Screw Driver  
(Push Start)



Hex Drive : 1/4"  
Free Speed : 550 rpm  
Max. Torque : 1.4~9.3 Nm  
Net Weight : 0.77 kg

**NETO R48P BP**

Auto Shut Off  
Screw Driver  
(Pistol Push & Trigger Start)



Hex Drive : 1/4"  
Free Speed : 1700 rpm  
Max. Torque : 0.69~4.90 Nm  
Net Weight : 0.99 kg

**NETO T55AB**

Shut Off  
Screw Driver  
(Angle Type Lever)



Hex Drive : 1/4"  
Free Speed : 1000 rpm  
Max. Torque : 0.6~6.8 Nm  
Net Weight : 1.1 kg

**NETO R58PS**

Screw Driver  
(Cushion Clutch)



Hex Drive : 1/4"  
Free Speed : 750 rpm  
Torque Range : 13 Nm  
Net Weight : 0.79 kg

**NETO 5SLA08**

Auto Screw Driver  
(Angle / Shut Off Type)



Hex Drive : 1/4"  
Free Speed : 800 rpm  
Torque Range : 2.2~4.0 Nm  
Net Weight : 1.22 kg

**NETO 5S1508A**

Screw Driver  
(Shut Off Type)



Hex Drive : 1/4"  
Free Speed : 800 rpm  
Torque Range : 2.8~4.0 Nm  
Net Weight : 0.95 kg

**NETO 5S5108A**

Screw Driver  
(Shut Off Type)



Hex Drive : 1/4"  
Free Speed : 800 rpm  
Torque Range : 2.8~4.0 Nm  
Net Weight : 0.98 kg

**NETO 601C**

Air Drill  
(Reversible)  
Double Trigger



Chuck Size : 3/8"  
Free Speed : 2600 rpm  
Overall Length : 170mm  
Net Weight : 1.02 kg

**NETO 601CG**

Air Drill  
(Reversible)  
Double Trigger



Chuck Size : 1/2"  
Free Speed : 700 rpm  
Overall Length : 205mm  
Net Weight : 1.49 kg

**NETO D8432**

Air Drill  
(Reversible)



Chuck Size : 3/8"  
Free Speed : 3200 rpm  
Overall Length : 185mm  
Net Weight : 1.06 kg

**NETO DR208-A1**

Air Drill  
(Reversible)



Chuck Size : 1/2"  
Free Speed : 800 rpm  
Overall Length : 235mm  
Net Weight : 1.95 kg

**NETO 102**

Air Drill  
(Lever)  
(Reversible)



Chuck Size : 3/8"  
Free Speed : 2200 rpm  
Overall Length : 210mm  
Net Weight : 0.84 kg

**NETO 70AK**

Micro Die Grinder



Collet Size : 3 mm  
Free Speed : 70,000 rpm  
Net Weight : 0.27 kg  
Length : 136 mm

**NETO 190**

Micro Die Grinder



Collet Size : 3 mm  
Free Speed : 65,000 rpm  
Net Weight : 0.25 kg  
Length : 130 mm

**NETO 522**

Angle Die Grinder



Collet Size : 6 mm  
Free Speed : 22,000 rpm  
Net Weight : 0.50 kg  
Length : 121 mm

**NETO 552**

Die Grinder



Collet Size : 6 mm  
Free Speed : 25,000 rpm  
Net Weight : 0.30 kg  
Length : 121 mm

**NETO 31020E**

Die Grinder



Collet Size : 6 mm  
Free Speed : 25,000 rpm  
Net Weight : 0.30 kg  
Length : 123 mm

**NETO G2220**

Extension  
Die Grinder  
(Lever)



Collet Size : 6 mm  
Free Speed : 20,000 rpm  
Net Weight : 1.63 kg  
Length : 320 mm

**NETO 824EC**

Extension  
Die Grinder  
(Lever)



Collet Size : 6 mm  
Free Speed : 20,000 rpm  
Net Weight : 1.05 kg  
Length : 319 mm

**NETO 1850**

4" Air Angle  
Grinder



Disc Size : 4"  
Spindle Thread : M10  
Free Speed : 11,000 rpm  
Net Weight : 1.8 kg

**NETO 1850A**

5" Air Angle  
Grinder



Disc Size : 5"  
Spindle Thread : M10  
Free Speed : 9,500 rpm  
Net Weight : 1.8 kg

**NETO 854R**

4" Air Angle  
Grinder with  
Spindle Lock



Disc Size : 4"  
Spindle Thread : M10 x 1.5  
Free Speed : 11,000 rpm  
Net Weight : 1.8 kg

**NETO 855R**

5" Air Angle  
Grinder with  
Spindle Lock



Disc Size : 5"  
Spindle Thread : M14 x 2  
Free Speed : 11,000 rpm  
Net Weight : 1.8 kg

**NETO AS02-5N22**

Air Sander



Disc Size : 5"  
Min. Hose ID : 10mm  
Free Speed : 16000 - 18000 rpm  
Net Weight : 1.0 kg

**NETO SN10**

Nut Riveter  
Hydro Pneumatic Type  
(Automatic)



Nut Capacity : M5 - M12  
Materials : Al. Steel & SS  
Net Weight : 2.45 kg  
Traction Power : 3026 Kgf



**NETO 802**  
Nut Riveter



Nut Capacity : M5 - M6  
Free Speed : 1500 rpm  
Length : 200 mm  
Net Weight : 1.32 kg

**NETO 803**  
Nut Riveter



Pop Capacity : M8- M10  
Free Speed : 600 rpm  
Length : 220 mm  
Net Weight : 1.28 kg

**NETO 8805**  
Pop Riveter  
(Economy)



Pop Capacity : 2.4 - 4.8 mm  
Stroke Length : 15 mm  
Housing Material : Al.  
Net Weight : 1.9 kg

**NETO 55P**  
Pop Riveter



Pop Capacity : 3.2 - 4.8 mm  
Stroke Length : 18 mm  
Housing Material : Composite  
Net Weight : 1.1 kg

**NETO 56P**  
Pop Riveter



Pop Capacity : 4.0 - 6.4 mm  
Stroke Length : 20 mm  
Housing Material : Composite  
Net Weight : 1.3kg

**NETO SR-1**

Pop Riveter  
Automatic  
Vacuum System



Pop Capacity : 3.2-4.8 mm  
Stroke Length : 20 mm  
Housing Material : Composite  
Net Weight : 1.5kg

**NETO SR-3**

Pop Riveter  
Automatic  
Vacuum System



Pop Capacity : 4.0-6.4 mm  
Stroke Length : 26 mm  
Housing Material : Composite  
Net Weight : 1.8 kg

**NETO 1223**

Air Engraving Pen



Sharp Point : 1.5 mm  
Blows Per Min: 2300  
Overall length : 170 mm  
Net Weight : 0.23 kg

**NETO HA67-A1**  
Air Hammer



Stroke Length : 67 mm  
Free Speed : 2900 rpm  
Overall Length: 217.6 mm  
Net Weight : 1.73 kg

**NETO 9610**  
Air Belt Sander



Belt Size : 10x330mm  
Min.Hose Size - ID : 3/8"  
Free Speed : 16,000 rpm  
Net Weight : 0.9 kg

**NETO 9620**

Air Belt Sander



Belt Size : 20x520mm  
Min.Hose Size - ID : 3/8"  
Free Speed : 16,000 rpm  
Net Weight : 1.2 kg

**NETO SAW10 - A2**

Air Saw / Filer



Blows Per Min : 9000  
Stroke Length : 10 mm  
Vibration : 1.59 m/s  
Net Weight : 0.65 kg

**NETO SB 3000**

Spring Balancer



Capacity : 1.5 - 3.0 kg  
Travel : 1.5m  
Rope Dia : 3.2mm  
Net Weight : 0.76 kg

**NETO SB 5000**

Spring Balancer



Capacity : 3.0 - 5.0 kg  
Travel : 1.5m  
Rope Dia : 3.2mm  
Net Weight : 0.81kg

**NETO EW -15**

Spring Balance



Capacity : 9.0 - 15 kg  
Travel : 1.5m  
Rope Dia : 4.7mm  
Net Weight : 3.9kg

**IMPACT SOCKETS & ACCESSORIES**



Impact Allen Sockets



Screw Driver Bits



Universal Joint



Abrasives



FRL Unit



Brass Connectors



Hoses & fittings



Impact Sockets



Impact Extension Bar



Socket Kit 1"



Pop & Nut Rivets



QRC Couplings

**OTHER PNEUMATIC ACCESSORIES**



**Apt Tools & Machinery India Pvt Ltd.,**

An ISO 9001:2015 Certified Company



Head Office: 4/226-A,  
Chinnakuyili Road, Kallapalayam Post,  
Coimbatore - 641201, Tamilnadu, India.

M : +91 80150 50510 / 77080 96774 / 96009 12132  
E : info@apttools.in / apttoolsindia@gmail.com  
W : www.apttools.com / www.apttechnologies.in  
Service Helpline : +91 82200 04987/ 88700 22644

**Chennai Branch:**  
No. 563, George Rathinam Road,  
G.G. Nagar, Nerukundram, Chennai - 600 107.  
Product Enquiry :  
+91 82200 14427 / 77080 96774

**Bangalore Branch:**  
No. 41, Doddanna Industrial Estate Main Rd,  
Peenya 2nd Stage, Hegganahalli, Bangalore - 560 090.  
Product Enquiry :  
M +91 98455 18093 / 77080 96774

**Erode Branch:**  
No 39,39/1, Neeladhari Complex,  
Kovalan Street, Erode - 638 001.  
Product Enquiry :  
M +91 80980 88662 / 77080 96774

**Hosur Branch:**  
No 59/1-9, 1st Floor, CMK Towers,  
Ammannagar, Derkanikotta Rd, Hosur-635 109  
Product Enquiry :  
M +91 80983 45959 / 77080 96774

**Kanjikode Branch:**  
2/17, Subani Vihar, Chedayankalai,  
Palakkad Post, Kanjikode (West)- 678 623  
Product Enquiry :  
M +91 77080 96774 / 63840 63800

**Trichy Service Center:**  
+91 90804 76347 / 82200 04987  
77080 96774

**Tuticorin Service Center:**  
+91 82200 04987 / 77080 96774

Dealers Name